

United States Patent and Trademark Office

UNITED STATES DENARTMENT OF COMMERCE United States Parent and Trademark Office Address: COMMINSTONED FOR PATENTS P.O. (1980 185) P.O. (1980 185) Alexandra Virginia 22313-1450

APPLICATION NO	D. I	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/645,713 08/20/2003		08/20/2003	Michael D. Ellis	81788-4100	8451
28765	7590	02/24/2006		EXAMINER	
WINSTO	N & STR	AWN LLP	INGBERG, TODD D		
1700 K STREET, N.W. WASHINGTON, DC 20006				ART UNIT	PAPER NUMBER
,				2193	
				DATE MAILED: 02/24/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(a)				
		Application No.	Applicant(s)				
Office Action Summary		10/645,713	ELLIS ET AL.				
	onice Action Summary	Examiner	Art Unit				
	The MAN INC DATE of this communication and	Todd Ingberg	2193				
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE \$\frac{1}{2}\$ MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
2a) <u></u>	 Responsive to communication(s) filed on 3/16/2004. This action is FINAL. 2b) This action is non-final. Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. 						
Disposition of Claims							
 4) Claim(s) 1-67 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) 1-67 are subject to restriction and/or election requirement. 							
Application Papers							
9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some colon None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.							
Attachment							
2) Notice 3) Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date 3/16/2004.	4) Interview Summary (Paper No(s)/Mail Da 5) Notice of Informal Pa					

Art Unit: 2193

DETAILED ACTION

Claim Status

Claims 36 – 67 have been added with a Preliminary Amendment.

Formal Matters

The Applicant's Oath and Declaration states a date of February 19, 2002 for PCT/US02/04947.

The Office records indicate the proper date is February 20, 2002.

Election/Restriction

Restriction to one of the following inventions is required under 35 USC § 121

The inventions are distinct, each from the other because of the following reasons:

Invention I -Claims 1-4, 34 - 35, are drawn to a Personal Network, classified in class 709, subclass 249.

Invention II - Claim 5 is drawn to the controlling of downloading software, classified in class 717, subclass 172.

Invention III - Claims 6-7 are drawn to network security, classified in class 713, subclass 172.

Invention IV - Claims 8 is drawn to display unit worn on arm, classified in class 359, subclass 630.

Invention V - Claim 9 is drawn to display system with multiple displays, classified in class 715, subclass 764.

Invention VI - Claims 10 and 13 are drawn to mobile information system, classified in class 370, subclass 310.1.

Invention VII - Claim 11 is drawn to mobile audio output device, classified in class 455, subclass 344.

Art Unit: 2193

Invention VIII - Claim 12 is drawn to input device for mobile network, classified in class 345, subclass 158.

Invention IX - Claim 14 is drawn to portable stereo with audible interruption, classified in class 455, subclass 404.1.

Invention X - Claim 15 is drawn to portable data collection system and transmitting to a base station, classified in class 709, subclass 219.

Invention XI - Claims 16 and 17 are drawn to guidance system, classified in class 701, subclass 213.

Invention XII - Claims 18 and 63 – 64 are drawn to logger for a guidance systems, classified in class 370, subclass 310.1.

Invention XIII - Claims 19 - 20 and 24 are drawn to athletic workout, classified in class 482, subclass 8.

Invention XIV - Claim 21 is drawn to pedometer, classified in class 377, subclass 24.2.

Invention XV - Claims 22 and 23 are drawn to lap counter, classified in class 340, subclass 323R.

Invention XVI - Claims 25 and 26 are drawn to measuring of a specific measurement (Oxygen uptake), classified in class 482, subclass 8.

Invention XVII - Claims 27, 28 and 30 are drawn to monitor measuring of a specific measurement (Lactate Threshold), classified in class 600, subclass 513.

Invention XVIII - Claim 29 is drawn to health monitor, classified in class 600, subclass 546.

Invention XIX - Claim 31 is drawn to wildlife recognition system, classified in class 382, subclass 154.

Art Unit: 2193

Invention XX - Claim 32 is drawn to electronic journal, classified in class 707, subclass 201.

Invention XX - Claim 33 is drawn to control system for a network, classified in class 713, subclass 310.

Invention XXII - Claims 36 – 62 and 65-67 are drawn to an integrated wireless network supporting performance tracking as it interacts with heart rate data sensor device, speed sensor, display device with a Global Positioning System (GPS), classified in class 482, subclass 8.

The inventions are distinct, each from the other because:

The different inventions can be used separately or in combination. Furthermore,

The Appendix to this Office action is the Interview Summary (evidence the Examiner is aware of related to this case) from PCT/US02/04947 which provided a clear view to the Examiner of the many different inventions present. The new claims appear to attempt to link many of the groups but the combination/ subcombinations are not required and can be used elsewhere therefore, fail to link the inventions. The Examiner has provided a copy of Applicant's claims below:

Invention I

- 1. (Original) A modular personal network comprising: a processor having a memory module; said processor having a wireless transceiver; said processor having a communications interface module to communicate with a remote processor, said processor having a configuration module for supporting a plurality of individual network components (INCs); a plurality of INCs including:
- (i) a mobile telephone,
- (ii) an electronic calendar,
- (iii) an electronic clock,
- (iv) a display, and
- (v) an audio output device;
- said INCs each having a wireless receiver for communicating with the processor, and wherein a user program in the processor controls all the INCs.
- 2. (Original) The network of claim 1, wherein the processor further comprises a single physical module.
- 3. (Original) The network of claim 1, wherein the user program resides in the remote processor and is transmitted to the communications interface module to be stored in the memory module and executed by the processor.

Art Unit: 2193

4. (Original) The network of claim 1, wherein the processor further comprises a component in a plurality of INCs.

Page 5

- 35. (Original) The network of claim 1 wherein the processor provides central control over all the INCs.
- 34. (Original) A modular personal network comprising:

a processor having a memory module; said processor having a wireless transceiver, said processor having a communications interface module to communicate with a remote processor; said processor having a configuration module for supporting a plurality of individual network components (INCs); a plurality of dispersed INCs that each have a different primary function within the modular personal network, wherein the primary function of each INC is one of a mobile telephone, an appointment notification unit, an electronic clock, a display, and an audio output device; said INCs each having a wireless receiver for communicating with the processor, and wherein a user program in the processor controls all the INCs.

Invention II

- 5. (Original) A method of controlling a modular personal network comprising:
- (a) providing a software application that runs on a personal computer,
- (b) allowing a plug-in to the software application that corresponds to a particular individual network component (INC) in the modular personal network,
- (c) allowing a user to use the plug-in to download software to a controlling INC to control said particular INC, and
- (d) allowing the user to use the plug-in to configure a parameter related to said particular INC.

Invention III

- 6. (Original) A method of providing security in a modular personal network comprising:
- (a) programming an individual network component (INC) of the modular personal network with a network identifier that is unique to the modular personal network,
- (b) tagging a wireless message sent to the INC with a message network identifier corresponding to the network identifier of the MPN,
- (c) rejecting a received message in the INC if the message network identifier of the received message does not match the programmed network identifier,
- (d) allowing the programmed network identifier to be modified only by an authorized user, and
- (e) not allowing an unauthorized user to retrieve the network identifier from the INC.
- 7. (Original) The method of claim 6 further comprising:
- (a) receiving a message in a component of said modular personal network that was transmitted by a component of a second modular personal network,
- (b) using the received message to determine a network identifier associated with the second modular personal network, and
- (c) sending a message from a component of said modular personal network to a component of the second modular personal network using the determined network identifier, thereby providing secure communication between said modular personal network and the second modular personal network.

Invention IV

Art Unit: 2193

8. (Original) A display unit designed to be worn by a user on the radial side of the user's wrist or the dorsal side of the user's hand and to display items selected from the group consisting of text characters, graphics, and video.

Invention V

- 9. (Original) A display system comprising:
- (a) a plurality of display devices in which a first one of the plurality of display devices differs from a second one of the plurality of display devices, and
- (b) a mount on a user's body that can be reused with any one of the plurality of display devices and that allows said any one of the plurality of display devices to be repositioned in a variety of viewing positions on the mount.

Invention VI

- 10. (Original) A mobile information system designed to be worn by a user comprising a display unit, a control unit, and an audio output device in which the audio output device is not physically connected to the display unit, and wherein the control unit is configured to wirelessly transmit information to be displayed on the display unit and to wirelessly transmit information to be output by the audio output device.
- 13. (Original) A mobile information system designed to be worn by a user comprising a display unit, a control unit, and a user input device in which the user input device is not physically connected to the display unit, and wherein the user input device is configured to wirelessly transmit commands from the user to the control unit and the control unit is configured to wirelessly transmit information to be displayed to the display unit.

Invention VII

- 11. (Original) A mobile audio output device comprising:
- (a) a wireless receiver for receiving audio information from another device;
- (b) a speaker that outputs the audio information received by the wireless receiver, and
- (c) means for mounting the mobile audio device to a single item of clothing selected from the group consisting of a hat, a headband, and a helmet.

Invention VIII

- 12. (Original) A mobile network comprising an input device and a processing device whereby:
- (a) the input device comprises a pressure sensor for accepting input commands from a user,
- (b) the input device further comprises a radio frequency wireless transmitter for sending the input commands to the processing device;
- (c) the processing device comprises a radio frequency wireless receiver for receiving the input commands from the input device,
- (d) the mobile network further comprises means for mounting the input device to an item of clothing worn by the user, and
- (e) the mobile network further comprises means for allowing the user to wear the processing device.

Invention IX

14. (Original) A method of providing music and audio cues to a user comprising storing the music in a storage device configured to be worn or carried by the user, playing the music for the user using an audio output device worn by the user, providing the audio cues to the user using the audio output device, and automatically pausing the music while the audio cues are provided.

Invention X

Art Unit: 2193

15. (Original) A personal data collection system comprising a media recording device configured to be worn or carried by a user, a personal data collection device configured to be worn or carried by the user, a storage device configured to be worn or carried by the user for storing media collected by the media recording device and data collected by the personal data collection device, a base station, and a communications device for sending the media and the data from the storage device to the base station.

Invention XI

- 16. (Original) A method of providing guidance comprising allowing a user to follow a route while wearing or carrying a position monitor, logging the position data measured by the position monitor at intervals while following the route, saving the logged position data, and using the saved data for later guidance of the user while the user is wearing or carrying the position monitor.
- 17. (Original) A method of providing route simulation comprising allowing a user to follow a route while wearing or carrying a position monitor, logging the position data measured by the position monitor at intervals while following the route, saving the logged position data, and using the saved data for controlling a piece of exercise equipment to simulate the route.

Invention XII

- 18. (Original) A mobile position logging system configured to be worn by a user comprising:
- (a) a position monitoring device,
- (b) a separate input device for creating annotations,
- (c) a memory for storing position or speed data collected from the position monitoring device and input data collected from the input device, and
- (d) a communication device for uploading the collected position or speed data and input data from the memory to a personal computer.
- 63. (New) A data-logging device configured to be worn or carried by a user comprising a wireless receiver for receiving data from a plurality of other devices worn or carried by the user and a memory device configured to store the data received by the wireless receiver.
- 64. (New) The data-logging device of claim 63 further configured to be able to store data received from a device designed after the manufacture of the data-logging device.

Invention XIII

- 19. (Original) A method of providing an athletic workout comprising allowing a user to define a set of workout parameters using a workout definition station, downloading the set of workout parameters into a mobile athlete subsystem configured to be worn by an athlete during a workout, wherein the mobile athlete subsystem is configured to use the set of workout parameters during the athlete's workout to control an aspect of the workout, to collect a workout result during the athlete's workout, and to upload the workout result into the workout definition station.
- 20. (Original) A method of controlling an athletic workout of a single activity type comprising allowing a user to divide the workout into a plurality of sections with a plurality of goals, allowing the user to define a parameter to be controlled during one of the plurality of sections, collecting input during the one section, monitoring the parameter during the one section using the collected input, and providing an output based on the monitored parameter and the user definition during the one section.

Art Unit: 2193

24. (Original) A method of estimating data samples in a mobile athletic data collection and logging system comprising collecting athletic performance data samples using a device worn or carried by an athlete, recognizing that one or more of the data samples are invalid, estimating values for the invalid data samples, and storing or displaying the estimated values along with the collected data samples not recognized as invalid.

Page 8

Invention XIV

21. (Original) A method of measuring a stride length of a user comprising measuring speed using a position monitor worn by the user, measuring cadence using an accelerometer worn by the user, and calculating the stride length by dividing the speed by the cadence.

Invention XV

- 22. (Original) A method of counting laps while swimming comprising measuring a parameter using an input device worn by the swimmer, measuring a first set of time periods in which the parameter has a first characteristic matching a characteristic typical of swimming, measuring a second set of time periods in which the parameter has a second characteristic matching a characteristic typical of turning in water, and counting laps by counting transitions between instances of time periods in the first set and instances of time periods in the second set.
- 23. (Original) A method of logging a lap swimming workout comprising:
- (a) measuring a parameter using an input device worn by a swimmer,
- (b) evaluating the measured parameter,
- (c) comparing characteristics of the parameter to characteristics of a plurality of swimmer's activities selected from the group consisting of swimming crawl stroke, swimming breaststroke, swimming butterfly, swimming backstroke, kicking, turning, and resting,
- (d) determining the swimmer's activity using the comparison,
- (e) estimating time durations for the activities, and
- (f) providing the estimated time durations to the swimmer.

Invention XVI

claim 24

Invention XVII

- 25. (Original) A method of estimating an athlete's oxygen uptake in a system designed to be worn during an athletic effort comprising measuring a duration of the athletic effort, measuring a velocity of the athletic effort, and calculating the oxygen uptake based on the duration and the velocity.
- 26. (Original) A method of estimating an athlete's maximum oxygen uptake in a system designed to be worn during an athletic effort comprising measuring a duration of the athletic effort, measuring a velocity of the athletic effort, and calculating the maximum oxygen uptake based on the duration and the velocity.

Invention XVIII

- 27. (Original) A method of estimating an athlete's lactate threshold in a system designed to be worn during an athletic efforts comprising measuring the athlete's heart rate during a series of progressively more difficult athletic efforts and determining the heart rate corresponding to the athlete's lactate threshold based on the rate of increase of heart rate between the efforts.
- 28. (Original) A method of improving athletic performance comprising measuring a metabolic parameter of a user during an athletic activity, estimating usage or loss of a consumable by the

Art Unit: 2193

user during the athletic activity based on the measured metabolic parameter, and reminding the user to consume an amount of the consumable when the estimated usage or loss reaches a defined amount.

Page 9

30. (Original) A method of monitoring a user using a modular personal network (MPN) comprising providing an individual network component (INC) that comprises a mobile monitor to be worn by the user, using the mobile monitor to measure a metabolic value, using the metabolic value to detect, predict, or estimate the likelihood of a specific medical problem in the user, taking an action to address the medical problem, and allowing an additional INC not related to the monitoring function to be worn or carried by the user and added to the MPN.

Invention XIX

29. (Original) A training system comprising a sensor worn by a user during a training activity, memory to store characteristics of desired movements and outputs from the sensor, a processor to compare the outputs from the sensor to the characteristics of desired movements and to use that comparison to determine incorrect form, and an output device to provide feedback to the user on the incorrect form.

Invention XX

31. (Original) A mobile wildlife recognition system configured to be worn or carried by a user comprising a digital camera to capture a wildlife still image, a first memory to store the captured wildlife still image, a second memory to store a library of wildlife still images, a processor to compare the captured wildlife image in the first memory with wildlife still images in the library in the second memory, and a user output device to display the result of the comparison.

Invention XXI

32. (Original) A portable electronic journal configured to be worn or carried by a user comprising a memory to store journal entries, a user input device selected from the group consisting of a voice input device and a text input device used to create journal entries, a digital camera to create images to store with the journal entries, a clock to tag the journal entries with date and time, a communication device to upload the journal entries to a personal computer, and software to format the journal entries to a common file format.

Invention XXII

- 33. (Original) A method of turning off a wireless network of devices comprising:
- (a) receiving a turn-off input command from a user using one of the devices;
- (b) sending a turn-off message using the wireless network from said one of the devices to the other devices in the wireless network;
- (c) ceasing the sending of wireless messages between the devices;
- (d) waiting for a turn-on input command from the user using said one of the devices; and
- (e) sending a turn-on message using the wireless network from said one of the devices to the other devices in the wireless network.

Invention XXIII

36. (New) A modular wireless network for providing current performance feedback and performance tracking of training performance for an athlete, comprising: a heart rate data sensor device that is adapted to be worn on an athlete's chest during mobile athletic activity and is configured to wirelessly transmit a heart rate output that is representative of a current heart rate of the athlete; a speed data sensor device that is adapted to be in a physical relationship with the athlete in which the speed data sensor device moves with the athlete's

Art Unit: 2193

mobile athletic activity and is configured to receive Global Positioning System (GPS) information, and to wirelessly transmit a speed of movement output that is representative of the current speed of movement of the athlete; a display device that is adapted to be worn on the wrist of the athlete and is configured to receive the heart rate output and the speed of movement output and to display the current heart rate identified by the heart rate data sensor device and the current speed of movement identified by the speed data sensor, and a storage device that is adapted to be in a physical relationship with the athlete in which the storage device moves with the athlete's mobile athletic activity and is configured to receive the current heart rate output from the heart rate data sensor device and the current speed of movement output from the speed data sensor device and to store a log of data representative of the current heart rate and the current speed of movement for tracking the mobile athletic activity for different sets.

- 37. (New) The network of claim 36 wherein the storage device is adapted to be clipped to the athlete's clothing.
- 38. (New) The network of claim 36 wherein the storage device is adapted to be carried in a pocket of an article of clothing worn by the athlete.
- 39. (New) The network of claim 36 wherein the storage device is further configured to operatively communicate with a personal computer of the athlete to download logged data.
- 40. (New) The network of claim 36 wherein the display device is configured to display the current time and date.
- 41. (New) The network of claim 36 wherein the speed data sensor is configured to wirelessly transmit geographic location information based on the GPS information.
- 42. (New) The network of claim 41 wherein the storage device is configured to log geographic location information of the athlete when the geographic location information is received from the speed data sensor.
- 43. (New) The network of claim 36 wherein the display device is programmable to switch the display device to receive the current heart rate output from another heart rate data sensor device and to switch the storage device to receive the current speed of movement output from another speed data sensor device.
- 44. (New) The network of claim 36 wherein the storage device comprises random access memory for storing the logged information.
- 45. (New) The network of claim 36 wherein the storage device is programmable to be switched to receive the current heart rate output from another heart rate data sensor device and programmable to be switched to receive the current speed of movement output from another speed data sensor device.
- 46. (New) The network of claim 45 wherein the storage device is user-programmable to receive the current heart rate output from a different heart rate data sensor.
- 47. (New) The network of claim 45 wherein the storage device is user-programmable to receive the speed of movement output from a different speed data sensor.
- 48. (New) The network of claim 36 further comprising additional data sensor devices that are each adapted to be in a physical relationship with the athlete in which the additional data sensor devices move with the athlete's mobile athletic activity, and wherein the storage device and the display device are programmable to receive outputs from the additional sensor devices and to respectively display and store information representative of the additional outputs.

Art Unit: 2193

49. (New) The network of claim 36 wherein the speed data sensor device is further configured to transmit a distance output that is representative of a distance traveled by the athlete.

- 50. (New) A modular personal network for use by a user comprising:
 a global positioning system device configured to be worn or carried by the user comprising a
 GPS receiver configured to receive information from global positioning system satellites and a
 first wireless transmitter configured to send information received using the GPS receiver,
 a heart rate monitor configured to be worn by the user comprising a heart sensing device
 configured to detect the user's heart beats and a second wireless transmitter configured to send
 information about the sensed heart beats; a user interface device configured to be worn on the
 user's wrist comprising a first wireless receiver configured to receive information from another
 device worn or carried by the user and a display device configured to display information
 received by the first wireless receiver; and a data-logging device configured to be worn or
 carried by the user comprising a second wireless receiver configured to receive information
 transmitted from another device worn or carried by the user and a memory device configured to
 store information received by the second wireless receiver.
- 51. (New) The modular personal network of claim 50 wherein the user interface device is configured to display position information received from the global positioning system receiver on the display device.
- 52. (New) The modular personal network of claim 50 wherein the user interface device is configured to display speed information received from the global positioning system receiver on the display device.
- 53. (New) The modular personal network of claim 50 wherein the user interface device is configured to display heart rate information received from the heart rate monitor on the display device.
- 54. (New) The modular personal network of claim 50 wherein the user interface device is configured to allow the display of information from devices designed after the manufacture of the user interface device.
- 55. (New) The modular personal network of claim 50 wherein the data-logging device is configured to store position information received from the global positioning system receiver in the memory device.
- 56. (New) The modular personal network of claim 50 wherein the data-logging device is configured to store speed information received from the global positioning system receiver in the memory device.
- 57. (New) The modular personal network of claim 50 wherein the data-logging device is configured to store heart rate information received from the heart rate monitor in the memory device.
- 58. (New) The modular personal network of claim 50 wherein the data-logging device is configured to allow the storing of information from devices designed after the manufacture of the data logging device.
- 59. (New) The modular personal network of claim 50 further comprising a computer and a connection path in which information stored in the data-logging device is sent to the computer using the connection path.
- 60. (New) The modular personal network of claim 59 further comprising a software application configured to display information received from the data-logging device.

Art Unit: 2193

61. (New) The modular personal network of claim 60 wherein the information displayed by the software application comprises information received by the data-logging device from a plurality of other devices.

- 62. (New) The modular personal network of claim 61 wherein the information displayed by the software application comprises heart rate information and speed information.
- 65. (New) A method of displaying personal data on a personal computer with a software application comprising receiving at the personal computer heart rate data collected by a device worn by a user, receiving at the personal computer speed data collected by a device worn or carried by the user, and simultaneously displaying the received heart rate data and the received speed data using the personal computer.
- 66. (New) A display device configured to be worn by a user configured to receive heart rate data from a heart rate monitor worn by the user and display the heart rate data, receive speed or position data from a global positioning system receiver worn or carried by the user, and display time information.
- 67. (New) The display device of claim 66 further configured to be able to display data received from a device designed after the manufacture of the display device.

Inventions I - XIII are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct from each other if they are shown to be separately usable. Each respective invention has utility as in a system not having the other. See MPEP \Rightarrow 806.05(d).

Telephone Restriction Practice

Section 812.01 of the Manual of Patent Examining Procedure (MPEP) states the Examiner does not have to telephone the attorney or agent in cases where the Restriction is deemed complex. The Restriction/ Election is deemed complex by the Examiner and the attorney/ agent should be afforded the benefit of receiving the action for careful review and time to formulate a response.

Correspondence Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Todd Ingberg whose telephone number is (571) 272-3723. The examiner can normally be reached on during the work week..

Art Unit: 2193

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kakali Chaki can be reached on (571) 272-3719. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Todd Ingberg Primary Examiner Art Unit 2193